


Volume 1 | 2015

COMPENDIUM OF
ORAL SCIENCE

The Official Journal of The Faculty of Dentistry



UNIVERSITI
TEKNOLOGI
MARA

ISSN 2489-1102

COMPENDIUM OF ORAL SCIENCE

The Official Journal of The Faculty of Dentistry

Volume 1|2015

ISSN: 2489-1102

Editorial Board

Editor-in-Chief

Kazi Ahsan Jamil

Editorial Board

Profesor Dr. Fouad Hussain M H Al-Bayaty

Assoc. Professor Dr. Norashikin Yusof

Dr. Nagham Mohammed Abdullah

Dr. Nik Mohd Mazuan Nik Mohd Rosdy

Dr. Alaa Sabah Hussein

Dr. Eddy Hasrul bin Hassan

Dr. Faezah Sabirin

Editorial Office

Mr. Abdullah Yusoff

Mrs. Maskiah Abdullah

Honorable Advisor to Editorial Board

Professor Dr. Mohamed Ibrahim Abu Hassan

Graphic Design

Mrs. Rubiah Mohd Yusoff

Editorial Address

Kazi Ahsan Jamil, BDS, PhD

Editor-in-Chief,

Compendium of Oral Science (Compend.Oral.Sci),
Faculty of Dentistry

UiTM Sungai Buloh Campus

Jalan Hospital,

47000 Sungai Buloh,

Selangor, Malaysia.

Tel: +603-6126 6511

Fax: +603-6126 6103

E-mail: kazi@salam.uitm.edu.my

Copyright © 2014 by Faculty of Dentistry, Universiti Teknologi MARA (UiTM). All rights reserved. Materials contained in the journal may be reproduced for educational purposes provided that both the author(s) and the editorial office are appropriately recognized; otherwise duplication is not permitted. No articles, reports, or portions there of may be translated into other languages, published in books, journals, magazines, or any other print form without written permission from the editor-in-chief.

Disclaimer: The statements, opinions and data expressed in the articles and reports herein are those of the author(s) and not of the publisher and the editor(s). The publisher and the editor(s) disclaim responsibility for any injury to persons or property resulting from any schemes, methods, instructions or ideas referred to in the content.

Contents

ORIGINAL ARTICLE

Digitalized Bite Mark Analysis for the Undergraduate Dental Students <i>Mohd Yusmialdil Putera Mohd Yusof</i>	1
Feasibility of Using Latex Examination Gloves as Dental Dam: A Tensile Strength Study <i>Budi Aslinie Md Sabri, Nur Hidayah Mohd Radzi, Fatimatuz Zahira Abdul Hadi, Ikmal Hisham Ismail</i>	6
Assessment of Interradicular Spaces for Miniscrew Placement in Class I Subjects <i>Nagham Mohammed Abdullah, Rohaya Megat Abdul Wahab, Mohamed Ibrahim Abu Hassan</i>	14
Detail Reproduction of Elastomeric Materials: Effect of Viscosity and Groove Geometry <i>Nik Zarina Nik Mahmood, Noor Hayaty Abu Kasim, Mamat Azuddin, Noor Lide Abu Kassim</i>	21
Muscular Pain Among Dentists- A Pilot Study <i>Faezah Sabirin, Siti Sarah Abdul Ahmad, W. Zahira Akmal W. Kamarudin</i>	32
Detection of Metabolomic Profile of Saliva In Healthy Malaysian Adults <i>Han Hing Lee, Lee Chee Yen, Yoshinobu Shoji, Chin Hoe The</i>	40

CASE REPORT

Blending The Appearance Of All-Ceramic Crowns In Fluorosis Condition With Direct Chair-Side Technique <i>Siti Mariam Ab Ghani, Ahmad Syahir Ahmad Zu Saifudin, Muhammad Aliff Ikram Noor Zari, Teh Adilla Mustaza</i>	47
---	----

LETTER TO EDITOR

Adopting Law School Pedagogy Into Teaching and Learning of Dentistry- my Melbourne Experience <i>Mas Suryalis Ahmad</i>	52
---	----

SUBMISSION GUIDELINES	55
------------------------------	----

Original Article

Detection Of Metabolomic Profile Of Saliva In Healthy Malaysian Adults

Han Hing Lee^{*1}, Lee Chee Yen², Yoshinobu Shoji^{3,4}, Chin Hoe Teh⁴.

¹*Hospital Sultan Haji Ahmad Shah, Jalan Maran 28000 Temerloh, Pahang, Malaysia.*

²*Bundaberg Base Hospital, Bundaberg West, Queensland 4670, Australia.*

³*Faculty of Dentistry, University Technology MARA Sg. Buloh Campus, Jalan Hospital, 47000 Sungai Buloh, Malaysia.*

⁴*Bruker (Malaysia) Sdn Bhd, 303, Block A, Mentari Business Park, 46150 Petaling Jaya, Selangor, Malaysia.*

Keywords: NMR, healthy adult, saliva, metabolomics

Abstract

Background: Saliva is a readily accessible biofluid that is important for the overall quality of life, functionally essential in the chewing, swallowing, tasting, regulation mouth flora and prevention of caries. The aim of this study is to assess the global metabolomic profile of saliva in healthy Malaysian adults. **Methods:** As a first step to determining and understanding the metabolomic profile of saliva in healthy Malaysian adults, we have collected saliva samples of 50 adults and measured the salivary metabolite to establish a profiling metabolite data, Human Metabolome Database (HMDB). Metabolites concentrations of saliva in healthy subjects were measured by using ¹H NMR spectroscopy. **Results:** The results showed there was no significant inter-individual variations of the key metabolites observed among the healthy Malaysian adults and there was no significant variation of the metabolites between female and male subjects. **Conclusion:** The metabolomic profile of saliva in healthy Malaysian adults could be used to establish the metabolomic database and used as a comparison for future study of the saliva of specific diseases.

Introduction

Metabolomics provide an analysis of changing metabolite levels in biological samples [1]. Metabolomics have been applied to a number of important areas, which include the discovery of biomarkers as well as mechanistic studies aimed at discovering metabolites or metabolic pathways that regulate cellular and physiological processes [1]. For example, metabolomics has been applied to clinical conditions such as Crohn's Disease, Cancer, Genetic inborn errors

of metabolism and cardiovascular studies [2-3]. "Genomics and proteomics tell you what might happen, but metabolomics tells you what actually did happen." Said Bill Lasley, University of California, Davis. Metabolomics is more sensitive than genomics and proteomics as the metabolome measured is the final downstream product of transcription and translation, thus closest to the phenotype. The most important, saliva can be the sample for metabolomics study and has advantages over other biofluids such as blood and urine. Saliva collection is non-invasive and relatively fast compare to other biofluids collection [4-5].

*Correspondence to: Yoshinobu Shoji, Faculty of Dentistry, University Technology MARA Sg. Buloh Campus, Jalan Hospital, 47000 Sungai Buloh, Malaysia.
E-mail: shoji@salam.uitm.edu.my
Tel: +603-61266620, Faks: +603-61266103

Saliva is readily accessible complex biological fluid that is produced in, and secreted from the salivary glands. It consists of 99 % water with electrolytes, mucus, proteins, and small molecular weight metabolites making up the rest of the components [6-8]. Unbiased global metabolomic has rapidly enhanced disease characterization and biomarker discovery. Metabolites within a broad range of pathways contributed to the differentiation of healthy from diseased individuals, as well as between disease phenotypes. Some salivary metabolites have been successfully identified using ^1H Nuclear Magnetic Resonance (^1H NMR) [9], but to date chemometrics has not been applied to saliva metabolite datasets to find potential markers for disease [10]. Metabolite profiling of saliva remains largely under-explored despite demonstrated potential for biomarker detection in other biofluids such as urine and blood [11-13].

There is no metabolic database of healthy adult available in Malaysia. The aim of this study is to establish the metabolomics profile database of healthy Malaysian adults. With the database, we hope future researches can be done to identify new biomarker for early diagnosis of diseases with more specific to the Malaysia population.

Materials and Methods

Participants

50 healthy individuals (30 female and 20 male), aged 12 to 64 (median age of 38 years), were recruited in this study. Informed consents were obtained from patients according to the IMU RCEC guideline. A total of 5 ml of saliva collected for analysis and immediately kept in the -80 degree freezer. The subjects have been screened by measuring the blood pressure,

glucose level, Body Mass Index, questionnaire regarding to health condition, diet habit and medication. The screening process was carried out to ensure the healthy subjects were collected.

Saliva samples preparation

For acquisition of salivary NMR data, the frozen harvested saliva will be thawed, and spun at 3000 rpm to remove particulate matter. All saliva samples were prepared with addition of deuterated phosphate buffer for biofluid pH stabilization (pH 7.4). Additionally, sodium 3-trimethylsilyl- (2,2,3,3- $^2\text{H}_4$) -1-propionate (TSP) was added to serve as an internal standard and the deuterated solvent served as a field frequency lock. for the NMR spectrometer. Sodium azide was added as preservative.

^1H NMR metabolomic profiling

All samples was analysed using a Bruker Avance III NMR spectrometer operating at 500 MHz ^1H observation frequency using standard 1 dimensional acquisition parameters at UiTM Malaysia. All resulting NMR spectra were phase - and baseline-corrected. The data were Fourier transformed, and spectra were referenced to the TSP signal at 0 ppm. The results were then referenced using Bruker Topspin (version 3.1, Bruker, Fallanden, Switzerland) software.

Multivariate data analysis

Characterisation of spectral modulations by application of multivariate statistical data analysis was used to reduce complexity of these data and to facilitate visualisation of inherent patterns within the data. Data was normalised and scaled prior to multivariate analysis. The multivariate statistical analysis such as principal

components analysis (PCA) were applied. The key metabolites were further validated statistically through permutations methods (with 10000 resampling) to ensure reliability and reproducibility of the results.

Results

A sample ^1H NMR spectrum of unstimulated saliva from healthy Malaysian adults with several resonances identified is shown in Figure 1 and 2. Resonance assignments were made using Bruker Topspin software. All results were phased and baselined corrected. We have identified a small number of key metabolites that were present as part of the human saliva metabolome of healthy Malaysian adults. The

metabolites found were Propionate, Acetate, Alanine, Lactic acid, Tyrosine, Phenylalanine and Formate as shown in Table 1. Spectra derived from saliva of healthy Malaysian adults were dominated by Acetate and Propionate as shown in Table 1.

There is no significant inter-individual variations of the key metabolites were observed among the healthy Malaysian adults. To determine differences between male and female saliva, 20 healthy female subjects and 5 healthy male subjects were recruited. PCA scores plot of ^1H NMR spectra derived from saliva of healthy female and male control showed there was no significant variation of the metabolites between female and male, as shown in Figure 3.




Figure 1: Median ^1H NMR spectra derived from saliva of healthy controls (aliphatic region).




Figure 2: Median ¹H NMR spectra derived from saliva of 25 samples (aromatic region)

Compound	¹ H chemical shift (ppm)
Propionate	1.04, 2.18
Acetate	1.92
Alanine	1.47
Lactic acid	1.32
Tyrosine	6.89, 7.18
Phenylalanine	7.32, 7.37, 7.42
Formate	8.45

Table 1: ¹H NMR assignments for Human Saliva at 500MHz

Discussion

In the present study, the use of human saliva samples for NMR-based metabolomics was evaluated. High-resolution ^1H NMR spectra was obtained, and the major signals were clearly assigned consistent with earlier studies. Technical advances in NMR spectroscopy, it is now possible to identify and quantify hundreds of metabolites from many different types of biological samples in relatively short orders [9]. However, the procedure from sample collection to analysis is sensitive. Cellular debris from both human and bacterial sources may contribute various metabolites, and products of bacterial metabolism may also be present. Steroids, some other hormones, and many drugs and antibodies can diffuse from serum into saliva [13]. Filtration of saliva samples using centrifuge provides an effective method of removing both proteins and particulate matter from saliva samples. Analysis of the sample will be easier when the protein is removed from the sample [13]. It also depends on the method of collection, food components may be directly observed during targeted profiling of saliva [14]. For example, caffeine can be solutes already dissolved in the food, and rapidly dissolve into the saliva. All of these factors provide the important information for consideration when collecting saliva sample. The result only showed of 25 samples out of the total of 50 samples collected, 20 females and 5 males. This smaller sample set might be potentially affecting the result. The reason for reduced sample set was mainly due to the inhomogeneities in its field of the samples, outliers with weird peak that may be due to sugar, food or underlying systemic disease. Some studies indicated that there are age-associated alterations in certain aspects of salivary gland function [15]. In this study, the

samples recruited were from age range from 19 to 64. Studies enclosing a larger number of subjects and specific age group are needed to minimize the potential confounders.

The samples collected in this study were only from around the Klang valley area. Samples from other states should be covered in order to establish a database that can represent the healthy adults in Malaysia. There are few unknown peaks needed to be further investigated. Some metabolites in the saliva that were previously identified in other studies such as Butyrate, Choline, Ethanol, Glycine, Histidine and Pyruvate were not found in this study. This might be due to the small sample size and thus inadequate of some metabolite concentration to be quantified. In cases where quantitation was not reliable for a particular compound, concentrations were either not used (for generation of a model using multivariate statistics), or reported as being less than $1\ \mu\text{M}$. It is known that gender has an influence over urinary metabolite concentrations [11, 12]. To determine differences in salivary composition due to gender, 20 females and 5 males was obtained and analysed using ^1H NMR spectroscopy coupled with targeted profiling. Figure 3 revealed no significant variation between male and female saliva metabolites. As compare to the study of Takeda et al. [9], the male subjects has higher in concentration of nearly all to metabolites compared to female subjects, included acetate, formate, glycine, lactate, methanol, propionate, propylene, glycol, pyruvate, succinate, and taurine. The sample size was obviously imbalance, as 20 female samples versus 5 males samples only. Thus, a larger sample set is needed for further validation and future clinical application.




Figure 3: PCA scores plot of ¹H NMR spectra derived from saliva of healthy controls. (Labelled according to gender, coloured according to age groups). Comparison of male and female saliva.

Conclusion

We can readily apply the metabolic profile to identify the key metabolites in saliva by using ¹H NMR, following sample preparation and filtration to remove interfering protein and particulate matter to ease the analysis procedures. The median of the 25 samples show the peaks and key metabolites were identified, therefore

these metabolomic profiles of saliva is potential for the future study of adults with the disease.

Acknowledgement

This research project was funded by a grant from the Postgraduate and Research Department, International Medical University, Bukit Jalil, Malaysia.

References

1. Vinayavekhin N, Homan E, Saghatelian A. Exploring disease through metabolomics. **ACS Chem Biol.** 2010 Jan 15;5(1):91-103. doi: 10.1021/cb900271r.
2. Mamas M, Dunn W, Neyses L, Goodacre R. The role of metabolites and metabolomics in clinically applicable biomarkers of disease. **Arch Toxicol.** 2011 Jan;85(1):5-17. doi: 10.1007/s00204-010-0609-6. Epub 2010 Oct 16.
3. Rafael MN. Saliva as a tool for oral cancer diagnosis and prognosis: a review. **Oral Oncol.** 2009 Dec;45(12):1006-10. doi: 10.1016/j.oraloncology.2009.07.005. Epub 2009 Oct 13.
4. Bertram HC, Eggers N, Eller N. Potential of Human Saliva for Nuclear Magnetic Resonance-Based Metabolomics and for Health-related Biomarker Identification. **Anal Chem.** 2009 Nov 1;81(21):9188-93. doi: 10.1021/ac9020598.
5. Yamada-Nosaka A, Fukutomi S, Uemura S, Hashida T, Fujishita M, Kobayashi Y, et al. Preliminary Nuclear Magnetic Resonance Studies on Human Saliva. **Arch Oral Biol.** 1991;36(9):697-701.
6. De Almeida PDV, Gregio AMT, Machodo MAN, de Lima AAS, Azevedo LR. **Saliva Composition and functions: a comprehensive review.** **J Contemp Dent Pract.** 2008 Mar 1;9(3):72-80.
7. Lingstrom P, Moynihan P. Nutrition, saliva, and oral health. **Nutrition.** 2003 Jun;19(6):567-9.
8. Wishart DS, Knox C, Guo AC, Esner R, Young N, Gautam B. HMDB: a knowledge-base for the human metabolome. **Nucleic Acids Res.** 2009 Jan;37(Database issue):D603-10. doi: 10.1093/nar/gkn810. Epub 2008 Oct 25.
9. Takeda I, Stretch C, Barnaby P, Bhatnager K, Rankin K, Fu H, et al. Understanding the human salivary metabolome. **NMR Biomed.** 2009 Jul;22(6):577-84. doi: 10.1002/nbm.1369.
10. Issaq HJ, Nativ O, Waybright T, Luke B, Veenstra TD, Issaq EJ, et al. Detection of bladder cancer in human urine by metabolomic profiling using high performance liquid chromatography/mass spectrometry. **J Urol.** 2008 Jun;179(6):2422-6. doi: 10.1016/j.juro.2008.01.084. Epub 2008 Apr 23.
11. Kochhar S, Jacobs DM, Ramadan Z, Berruex F, Fuerholz A, Fay LB. Probing gender-specific metabolism differences in humans by nuclear magnetic resonance-based metabonomics. **Anal Biochem.** 2006 May 15;352(2):274-81. Epub 2006 Mar 20.
12. Psihogios NG, Gazi IF, Elisaf MS, Seferiadis KI, Bairaktari ET. Gender-related and age-related urinalysis of healthy subjects by nmr-based metabonomics. **NMR Biomed.** 2008 Mar;21(3):195-207.
13. Slupsky CM, Rankin KN, Wagner J, Fu H, Chang D, Weljie AM, et al. Investigations of the effects of gender, diurnal variation, and age in human urinary metabolomic profiles. **Anal Chem.** 2007 Sep 15;79(18):6995-7004. Epub 2007 Aug 17.
14. CL P. The role of saliva in maintaining oral health and as an aid to diagnosis. **Med Oral Patol Oral Cir Bucal.** 2006 Aug;11(5):E449-55.
15. Dodds MWJ, Johnson DA, Yeh CK. **Health benefits of saliva: a review.** **J Dent.** 2005 Mar;33(3):223-33. Epub 2004 Dec 19.

SUBMISSION GUIDELINES

Mission and Scope:

Compendium of Oral Science (Compend.Oral.Sci), is the official journal of the Faculty of Dentistry, Universiti Teknologi MARA (UiTM). The goal of Compendium of Oral Science is to publish peer-reviewed, hypothesis-driven, original research articles on a broad range of topics of general interest to those working on the oral science and dentistry. The journal welcomes submissions in a wide array of subspecialties from throughout the world in achieving this goal.

Types of Articles Published

Authors are invited to submit manuscripts for publication as Regular articles (full-length research reports), short communications, case reports, Reviews and Letters to Editors.

Regular Articles: These should describe new and carefully confirmed findings, and experimental procedures should be given in sufficient detail for others to verify the work. The length of a full paper should be the minimum required to describe and interpret the work clearly.

Short Communications: Short communications should aim at being **no longer than two printed pages**. They should contain important, new, definitive information of sufficient significance to warrant publication. Short communications need not follow the usual division into Material and Methods etc. but should have a short Abstract.

Case Reports: Illustrating unusual and clinically relevant observations are acceptable but their merit needs to provide high priority for publication in the Journal. On rare occasions, completed cases displaying non-obvious solutions to significant clinical challenges will be considered. Short papers not exceeding 1200 words, a maximum of three illustrations (with consideration to certain case reports) and five references may be accepted for publication if they serve to promote communication between clinicians and researchers.

The main text of **case reports** should be organized with Introduction, case report, discussion and conclusion.

A paper submitted as a brief clinical / case report should include the following:

- A short **introduction** (avoid lengthy reviews of literature);
- The **case report** itself (a brief description of the patient/s, presenting condition, any special investigations and outcomes);

Discussion which should highlight specific aspects of the case(s), explain/interpret the main findings and provide a scientific appraisal of any previously reported work (if any) in the field. Interpretation of their significance and to draw a **Conclusions** or generalizations about future cases when warranted by the evidence presented, or suggestion for further possible studies.

Reviews: Submissions of reviews covering topics of current interest are welcome and encouraged. Reviews should be concise and no longer than 4-6 printed pages (about 12 to 18 manuscript pages). Reviews are also peer-reviewed.

Letters to the Editor: Letters to the Editor regarding published articles should be received within 2 months of mailing of the journal, letters regarding profession related matters will also be considered. Authors are encouraged to keep letters concise and succinct, with a limit of no more than 750 words. Introduction of new data will not be permitted. Each letter will be submitted to the author of the original paper so that any reply may be published simultaneously with the letter. Letters should have a descriptive title.

Frequency: One issue a year

Manuscript Submission Process

Before submitting your manuscript to **Compendium of Oral Science (Compend.Oral.Sci)**, authors should be familiar with the Editorial Policies. These describe our requirements regarding human and animal research, materials and methods disclosure, and prior publication. Information regarding the expectations of reviewers and editors and the review process are also available on this page.

Letter of Transmittal

This letter must be supplied during submission. The signatures of the corresponding author is required. The letter must have following:

- **Manuscript Title:** The Author(s) name(s) (identify the corresponding author, with complete address, telephone, FAX, and e-mail information).(50 word maximum)
- **Type of Manuscript:** Regular Article, Short Communication, Case Report, Review and Letter to the Editor.
- **Brief Statement of Significance:** A statement that describes the significance of the paper.
- **Statement of Direct Participation:** statement that declares that all of the authors have directly participated in the planning, execution, or analysis of the study and resulting paper, and have read and approved the version submitted.
- **Information:** Must include information on prior or duplicate publication or submission elsewhere of any part of the work/study; and a statement of financial or other relationships that might lead to a conflict of interest. *Copies of any permission(s) to reproduce published material, and to use illustrations or report information about identifiable people must accompany the manuscript.*
- **Optional-** The contact information of any suggested reviewers (names, addresses, and e-mail).

Manuscripts submitted without a letter of transmittal will not be processed for peer review.

Licence to Publish

The corresponding author will be contacted to complete the "Compendium of Oral Science: License to Publish form" upon an editorial decision of Accept.

Upon acceptance of a paper, authors are required to assign the exclusive licence to publish their paper to the Compendium of Oral Science. Assignment of copyright is a condition of publication, and papers will not be passed to the publisher for production unless copyright has been assigned. A completed Copyright Transfer Agreement must be sent to the address specified on the agreement, before any manuscript can be published. Authors may send the completed original Copyright Transfer Agreement by fax (optional) but must be followed by mail upon receiving notice of manuscript acceptance. Do not send the Copyright Transfer Agreement at submission.

Copyright

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, or thesis) that it is not under consideration for publication elsewhere; that if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher.

Authorship

All persons designated as authors should qualify for authorship. The entitlement to authorship should be based on all of the following criteria: (1) substantial contributions to conceptions and design, execution or analysis and interpretation of data; (2) drafting the article or revising it for important intellectual content; (3) final approval of the version to be published. *Acquisition of funding, collection of data, or general supervision of the research group, alone, does not justify authorship.* All contributors who do not meet the criteria for authorship should be listed in the Acknowledgements. *The order of authorship should be a joint decision of the co-authors.* Each author should have participated sufficiently in the work to take public responsibility for part of the content or the whole. Corresponding author must agree that above has been confirmed by all authors when submitting a manuscript.

Originality

By submitting your manuscript to the journal it is understood that this it is an original manuscript and is unpublished work and is not under consideration elsewhere.

Conflict of Interest

The Compendium of Oral Science's policy requires that each author reveal any financial interests or connections, direct or indirect, or other situations that might raise the question of bias in the work reported or the conclusions, implications, or opinions stated including pertinent commercial or other sources of funding for the individual author(s) or for the associated department(s) or organization(s), personal relationships, or direct academic competition.

As an integral part of the submission process, Corresponding authors are required to confirm whether they or their co-authors have any conflicts of interest to declare, and to provide details of these.

Any changes made to the list of conflicts after the paper is accepted must be submitted in writing, signed by the appropriate authors (that is, the corresponding author and the author for whom the conflict exists), to the *Com-*

pendium of Oral Science Editorial Office. Publication of manuscripts will be withheld until all such written approvals are received. *Compendium of Oral Science* accepts no responsibility for such changes.

Experimental Ethics:

- **Animal experiments:** When reporting animal experiments authors should indicate whether the institution's, national research council's, or any other law on the care and use of laboratory animals was followed.
- **Human subjects:** When reporting on human subjects, authors should indicate whether the procedures followed were in accordance with the ethical standards of the Helsinki Declaration (1964, amended most recently in 2008) of the World Medical Association. Manuscripts should include a statement that the patient's written consent was obtained and any information, including illustrations, should be as anonymized as far as possible. Authors should indicate that the design of the work has been approved by local ethical committees or that it conforms to standards currently applied in the country of origin. The name of the authorizing body should be stated in the paper.

Clinical Trials

Authors should indicate that the design of clinical trial study has been approved by local ethical committees / appropriate authority or that it conforms to standards currently applied in the country of origin. The name of the authorizing body should be stated in the paper. The clinical trial registration number and name of the trial register will then be published with the paper.

Funding

All sources of funding should be declared in the Acknowledgements. If a private/commercial sponsor supported the research, authors are advised to describe the role of the study sponsor (s), if any, in study design; in the collection, analysis, and interpretation of data; in the writing of the report; and in the decision to submit the paper for publication. If the funding source had no such involvement, this should be stated.

Details of all funding sources for the work in question should be given in a separate section entitled 'Funding'. This should appear before the 'Acknowledgements' section.

The following rules should be followed:

- The sentence should begin: 'This work was supported by ...'
- The full official funding agency name should be given, i.e. 'National Institutes of Health', not 'NIH' (Grant numbers should be given in brackets as follows: '[grant number xxxx]')
- Multiple grant numbers should be separated by a comma as follows: '[grant numbers xxxx, yyyy]'
- Agencies should be separated by a semi-colon (plus 'and' before the last funding agency)
- Where individuals need to be specified for certain sources of funding the following text should be added after the relevant agency or grant number 'to [author initials]'

An example is given here: 'This work was supported by the National Institutes of Health [AA123456 to C.S., BB765432 to M.H.]; and the Alcohol & Education Research Council [hfygr667789].'

Evaluation of manuscripts

Submitted manuscripts are subject to peer review and are expected to meet standards of academic excellence. Peer-reviewers identities will remain anonymous to the authors. The Editor-in-Chief's decision regarding publication is based on the recommendation of the reports of reviewers, which will, at the Editors' discretion, be transmitted to the authors.

Authors may suggest the names and addresses of a few potential reviewers. The Editors and Associate Editors will be guided but not necessarily bound by these suggestions.

Form and Style of Manuscript

Manuscripts must be written in English. Manuscript documents should be formatted as follows:

- They should be typed on A4 form (21×29.7 cm or 21.6×28 cm)
- Double spaced
- 2.5 cm (1 inch) margins
- Justify
- Page numbers at the bottom of each page; centered or right-justified
- **11-point font;** restrict fonts to **Arial** throughout the manuscript (Use of other fonts is not recommended and could result in problems with converting your manuscript for review.)

- Avoid boldface, underlining, or italics in the manuscript

Other formatting notes:

- We do not publish Appendices.
- Do not embed figures into the manuscript. They must be uploaded as separate files for each figure. Separate pages should be used for the following: **(1) title page (s), (2) abstract, (3) text, (4) footnote(s) to the text, (5) references, (6) table(s), (7) legend(s) to figure(s), (8) declaration of Funding and Conflict of Interest**. The manuscripts should be arranged in the order indicated above and all pages should be numbered in succession except the figure(s), **the title page being page 1**.

Indicate the appropriate location in the text of the tables, figures, and other subsidiary materials by marginal notes. Latin words should be italicized (for example: *in vitro*, *i.e.*, *etc.*, *per se*). Footnote(s) to the author's name (s) and affiliation(s) should appear on the title page. All footnotes should be numbered in succession with superscript, Arabic numerals, starting from the title page footnote(s). Footnotes to tables should be identified with superscript lower case (a, b, etc.), and placed at the bottom of the table. Acknowledgement (if any) should appear after the main text, and before the References. It is advised that authors note any conflict of interest in this section.

Organization of Manuscript

A desirable plan for the organization of a **Regular Paper** is as follows: **(1) TITLE (2) ABSTRACT, (3) INTRODUCTION with no heading, (4) MATERIALS AND METHODS (5) RESULTS (6) DISCUSSION (7) REFERENCES**.

1. Title Page

Provide a title page, containing the following items.

- The type of paper
- Title. The title should be informative and as short as is consistent with clarity. The title should not include chemical formulae or arbitrary abbreviations, but chemical symbols may be used to indicate the structures of isotopically labeled compounds. The numbering of parts in a series of papers is not permitted, but titles and subtitles may be used if necessary.
- Next-line. List full names of all authors. A footnote reference(s) to an author(s), indicating a change of address, should be given on the title-page.
- Next-line. List the institution(s) in which the work was carried out, and the Zip Code / post code, if available.
- Running title. Provide a short running title of less than 50 strokes. It should be as informative as possible.
- The name, complete mailing address, telephone number, Fax number, and E mail address of the person to whom correspondence should be sent. To expedite the review, much of the journal's correspondence will be by E mail.
- Abbreviations. Non-standard abbreviations should be defined, even if they are known to those familiar with the field. List all non-standard abbreviations used in the paper in alphabetical order in a footnote on the title page.

Customary abbreviations in wide use need not be defined in text (e.g., RNA, ATP). Define other abbreviations the first time that they are used. Refer to the Journal of Biological Chemistry for recommended abbreviations for biological compounds, Chemical Abstracts for names of chemical compounds, Conn's Biological Stains (10th Edition, RW Horobin and JA Kiernan (eds.), BIOS Scientific Publishers) for nomenclature, and the CSE Style Manual (2006, 7th ed., Council of Science Editors) for scientific abbreviations. Use SI units only. The Journal does not print the degree symbol before temperature symbols. All temperatures are printed as follows: 80C, 37.4F, 276K.

2. Abstract

- The Abstract should **not exceeding 250 words**. Abstract text should be divided into the following sections: **Objectives** (a brief statement of the purpose of the investigation along with the the working hypothesis)- **Materials and Methods** (A brief description of the materials and experimental method used); **Results** (state the results simply and clearly so that significant facts can be readily identified, where appropriate, statistics should be clearly stated); **Conclusions** (a brief summary of the essential results you believe were demonstrated by the experimental data and the impact of the results). Abstract should be in a form comprehensible to any scientist and suitable for publication without the full article text.

Avoid statements such as "The significance of these results is discussed" that do not help the reader. The abstract should be intelligible to the non-specialist as well as the specialist in your field, and hence should avoid

specialized terms and abbreviations.

- ii) **Key words.** Provide 3-5 key words identifying the nature of the subject matter alphabetically in the last part of the summary.

3. Introduction

The main part of an article should start with a brief Introduction, which outlines the historical or logical origins of the study and clearly states the aim of the study and/or hypothesis to be tested, without repeating the abstract or summarizing the results. Avoid giving an extensive review of the literature.

4. Materials and Methods

The materials and methods section should provide a sufficient detailed description of the methods to allow a researcher to reproduce your work. Companies from which materials were obtained should be listed with their location: city and state, province or country.

The **Experimental Procedures** or **Materials and Methods** should give sufficient details to enable the reader to repeat your work exactly, if necessary. **The necessity for conciseness should not lead to omission of important experimental details.** Refer to previously published procedures employed by citation of both the original description and pertinent published modifications, and do not include extensive description unless they present substantially new modifications.

This section should present clearly but succinctly the experimental findings. Only results essential to establish the main points of the work should be included. Numerical data should be analyzed using appropriate statistical tests.

For guidelines on how to report statistical results, see Bailar, JC, Mosteller, F (1988) Guidelines for statistical reporting in articles for medical journals. *Ann Intern Med*, 108:266-273; Curran-Everitt, D, Benos DJ, (2004) Guidelines for reporting statistics in journals published by the American Physiological Society. *J Neurophysiol*, 92:669-671; Lang, TA, Secic, M (2006) How to report statistics in medicine: annotated guidelines for authors, editors and reviewers, 2nd edition, Philadelphia, PA, ACP Press; Sarter M, Fritschy JM (2008) *Eur J Neurosci* 28:2363-2364. compact presentation.

Experimental animals: When experimental animals are used, specify **species, strain, sex, age, supplier, and numbers of animals** used in total and for individual experimental conditions. The species should be identified in the Title or Abstract.

Statistical methods: A complete description of statistical methods is required.

Permissions

If all or parts of previously published illustrations are used, permission must be obtained from the copyright holder concerned. It is the author's responsibility to obtain these in writing and provide copies to the publishers.

5. Results and Statistical Analyses

The observations should be presented with minimal reference to earlier literature or to possible interpretations. The main statistical results should be reported in the Results section. The description of the statistical results should include the proper statistical term (such as the F statistic) as well as the degrees of freedom and the

P value. The description of statistical results in the figure legends should be limited to important post hoc comparisons.

Statistical methods should be described with enough detail to enable a knowledgeable reader with access to the original data to verify the reported results. When possible, findings should be quantified and appropriate measures of error or uncertainty (such as confidence intervals) given. Details about eligibility criteria for subjects, randomization and the number of observations should be included. The computer software and the statistical method(s) used should be specified with references to standard works when possible

6. Discussion

The discussion section presents the interpretation of the findings, this is the only proper section for subjective comments. The discussion section should be as concise as possible and should include a brief statement of the principal findings while avoiding repetition of statements provided in the Abstract or the Results section.

A discussion of the validity of the observations, a discussion of the findings in light of other published work dealing with the same or closely related subjects, and a statement of the possible significance of the work. Extensive discussion of the literature is discouraged.

7. References

Only published and "in press" (i.e., accepted for publication in a specific journal or book) references should appear in the reference list at the end of the paper. The latest information on "in press" references should be provided. Any "in press" references that are relevant for reviewers to see in order to make a well-informed evaluation should be included as a separate document text file along with the submitted manuscript.

References cited in the text should be numbered in parentheses with Arabic numerals in order of appearance. Be sure to verify the wording of any personal communication with the person who supplied the information and get his approval for the use of his name in connection with the quoted information. All references should be listed in numerical order typed double-spaced on a separate sheet under the heading REFERENCES.

Please note the following examples.

(1) **For a journal article:**

7. Sanger F, Nicklen S, and Coulson AR (1977) DNA sequencing with chain-terminating inhibitors. **Proc. Natl. Acad. Sci. USA** **74**, 5463–5467

(2) **For a chapter in an edited book:**

12. Messing J (1983) New M13 vectors for cloning in **Methods in Enzymology** (Wu, R., Grossman, L., and Moldave, K., eds.) Vol. 101, pp. 20–51, Academic Press, New York

(3) **For a book by one or more authors:**

15. Sambrook J, Fritsch EF, and Maniatis T (1989) **Molecular Cloning. A Laboratory Manual** pp. 1339–1341, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY

Text citations to references written by more than two authors should be styled for example as, Smith et al. In the reference list, however, the names of all authors (with initials) must be given. If an article has been accepted for publication by a journal but has not yet appeared in print, the reference should be styled as follows:

29. Tanahashi H and Ito T (1994) Molecular characterization of a novel factor recognizing the interleukin-6 responsive element. **J. Biochem. (in press)**

References should be cited in the text as follows: "The procedure used has been described elsewhere (Green, 1978)," or "Our observations are in agreement with those of Brown and Black (1979) and of White et al.

(1980)," or with multiple references, in chronological order: "Earlier reports (Brown and Black, 1979, 1981; White et al., 1980; Smith, 1982, 1984).... "

The use of "in preparation" and "submitted for publication" is not allowed in the reference list.

Citation of the references written in a language which is usually unreadable for general readers and those published in a journal (or book) to which general reader could not easily access should be avoided.

8. Figure Legends:

Figure legends must be placed after the Literature Cited section. Manuscript document files lacking figure legends will not be reviewed. Do not duplicate material from the text or described in the methods in your figure legends. Indicate scale bar size if it is not indicated on the figure. Figure legends should be prepared for each figure. There should be sufficient experimental detail in the legend to make the figure intelligible without reference to the text (unless the same material has been given with a previous figure, or in the Experimental Procedures section).

- **Tables:** Tables should be self-explanatory and should not duplicate textual material. Each table must be appended to the end of the manuscript, after the Figure Legends, in either Word or Excel table format. **DO NOT** embed photographs or image files of tables. Legends or keys must accompany each table and should not be added to the Figure Legends. Tables should be numbered consecutively using Arabic numerals, and should include a brief title. Use footnotes (superscripted lower-case letters) to explain abbreviations, statistics, etc. Place explanatory matter in footnotes, not in the heading.
- **Figures:** Figures must be first cited in the manuscript in ascending numeric order. Subsequent references need not be in order, but the first citation of a figure must occur after preceding figures and before following figures (eg. Figure 2 cannot be referenced until after Figure 1 has been). Figures can be first referenced in groups or in the same figure reference (eg. Figure 1-3 or Figure 5 and 6).

9. Abbreviations

Abbreviations should be kept to an absolute minimum. Abbreviations save relatively little space but greatly diminish the readability of a manuscript. In general, abbreviations should not appear in the Abstract, and sentences that contain more than one abbreviation merit careful review. The word must always be written out in full when first used and the proposed abbreviation given in parentheses. A list of all abbreviations used in the text and their meanings must be provided (in alphabetic order).

10. Acknowledgements

A short statement about grant and other financial support should be given, along with a list of contributions from collaborators who are not co-authors (it is implicit that they agree with this mention), and a declaration of competing interests. See above under Editorial Policies for additional items to be addressed in the Acknowledgements.

11. Short Communications:

A Short Communication is suitable for recording the results of complete small investigations or giving details of new models or hypotheses, innovative methods, techniques or apparatus. The style of main sections need not conform to that of full-length papers. Short communications are 2 printed pages (about 6 manuscript pages) in length.

The word limit is 1500 words and up to 10 references, and an abstract of not more than 120 words.

E-mail Confirmation of Submission

After submission you will receive an e-mail to confirm receipt of your manuscript. If you do not receive the confirmation e-mail after three (3) working days, please check your e-mail address carefully in the system. If the e-mail address is correct please contact the editorial office.

Proofs:

Proofs (Electronic proofs) will be sent through e-mail attachment to the corresponding author by PDF wherever possible and should be returned within three (3) working days of receipt through e-mail. Corrections should be restricted to typesetting errors; any other amendments made may be charged to the author. Any queries should be answered in full. Therefore, it is important to ensure that all of your corrections are returned to us in one all-inclusive e-mail or fax. Subsequent additional corrections will not be possible, so please ensure that your first communication is complete.

Sending a Revised Manuscript

While submitting a revised manuscript, corresponding author is requested to include, along with single copy of the final revised manuscript, a scanned copy of the revised manuscript with the changes underlined in **red** and with the point to point clarification to each comment. The manuscript number should be written on each of these documents.

Reprints:

Information for ordering reprints can be obtained from the editorial office.

Manuscript Submission

All materials send to email: kazi@salam.uitm.edu.my

[Manuscript along with the "Letter of Transmittal" signed by the corresponding author (scanned copy)].

Editorial Address

Kazi Ahsan Jamil, BDS, PhD

Editor-in-Chief,

Compendium of Oral Science (Compend.Oral.Sci),

Faculty of Dentistry

UiTM Sungai Buloh Campus

Jalan Hospital,

47000 Sungai Buloh,

Selangor, Malaysia.

Tel: +603-6126 6511

Fax: +603-6126 6103

E-mail: kazi@salam.uitm.edu.my